



## **BUSINESS EXAMPLES**

### **214 TRANSPORTATION CARRIER SHIPMENT STATUS MESSAGE**

**MODIFIED: 2/28/2013**

## 214 Business Examples

### TABLE OF CONTENTS

TRUCKLOAD SHIPMENT ORIGINATING FROM LOWE'S (DC TO STORE)	PAGES 3-4
TRUCKLOAD SHIPMENT ORIGINATING FROM VENDOR TO LOWE'S STORE OR RDC	PAGES 5-7
TRUCKLOAD MULTIPLE PURCHASE ORDERS TO A POOL LOCATION	PAGES 8-14
TRUCKLOAD VENDOR MULTIPLE PURCHASE ORDERS TO A DC (VPXD)	PAGES 15-18
TRUCKLOAD SHIPMENT WITH MULTIPLE STOPS	PAGES 19-25
TRUCKLOAD SHIPMENT ORIGINATING FROM INTERNATIONAL VENDOR TO LOWE'S STORE OR RDC	PAGE 26
TRUCKLOAD SHIPMENT – X6 STATUS (EN-ROUTE TO DELIVERY) AND CURRENT LOCATION (MS1)	PAGE 27



## 214 Business Examples

### Truckload Shipment Originating from Lowe's (DC to Store) - Pickup

ISA*00* *00* *02*SCAC *01*006097142 *971111 *0920*U*00400*000000015*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*19971111*0920*15*X*004010	Functional Group Control Header
ST*214*000150001	Transaction Set Header
B10*12345*00007182691M*SCAC	PRO number, Bill of Lading Number & SCAC
L11*16872*SI	Business Instructions and Reference Number
<b>LOOP ID - 0100</b>	
N1*Sf**94*0960	Shipping from a Lowe's location
<b>LOOP ID - 0200</b>	
LX*1	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*X3*NS***19971111*0830*ET	Arrived at Pick-Up Location
AT7*AF*NS***19971111*0900*ET	Carrier Departed Pick-Up Location with Shipment
MS2*SCAC*T12345*CV	Equipment Owner, Number, and Type
<b>LOOP ID - 0230</b>	
PRF*123456789	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*0655	Shipping to a Lowe's location
<b>LOOP ID - 0200</b>	
LX*2	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*AG*NS***19971111*1300*ET	Estimated Delivery
MS2*SCAC*T12345*CV	Equipment Owner, Number, and Type
<b>LOOP ID - 0230</b>	
PRF*123456789	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*0655	Shipping to a Lowe's location
SE*16*000150001	Transaction Set Trailer
GE*1*15	Functional Group Trailer
IEA*1*000000015	Interchange Control Trailer

Note: For TL carriers, the ship from information should be transmitted in the 0100 loop, and the ship to information should be sent in the 0231 loop.

## 214 Business Examples

### Truckload Shipment Originating from Lowe's (DC to Store) – Delivery

ISA*00* *00* *02*SCAC *01*006097142 *971111 *1523*U*00400*000000016*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*19971111*1523*16*X*004010	Functional Group Control Header
ST*214*000160001	Transaction Set Header
B10*12345*00007182691M*SCAC	PRO number, Bill of Lading Number & SCAC
L11*16872*SI	Business Instructions and Reference Number
<b>LOOP ID - 0100</b>	
N1*Sf**94*0960	Shipping from a Lowe's location
<b>LOOP ID - 0200</b>	
LX*2	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*X5*NS***19971111*1315*ET	Arrived at Delivery Location Loading Dock
AT7*D1*NS***19971111*1500*ET	Completed Unloading at Delivery Location
MS2*SCAC*T12345*CV	Equipment Owner, Number, and Type
<b>LOOP ID - 0230</b>	
PRF*123456789	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*0655	Shipping to a Lowe's location
SE*11*000160001	Transaction Set Trailer
GE*1*16	Functional Group Trailer
IEA*1*000000016	Interchange Control Trailer

Note: For TL carriers, the ship from information should be transmitted in the 0100 loop, and the ship to information should be sent in the 0231 loop.

## 214 Business Examples

### Truckload Shipment Originating from Vendor to Lowe's Store or RDC- Appointment

ISA*00* *00* *02*SCAC *01*006097142 *971111 *0920*U*00400*000000092*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*19971111*0920*92*X*004010	Functional Group Control Header
ST*214*000920001	Transaction Set Header
B10*62421*00004232691M*SCAC	PRO number, Bill of Lading Number & SCAC
L11*32472*SI	Business Instructions and Reference Number
<b>LOOP ID - 0100</b>	
N1*SF*ABC Company*92*9999	Shipping from a Lowe's Vendor
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0200</b>	
LX*1	Assigned Number
<b>LOOP ID - 0205</b>	
AT7***AA*NA*19971112*0830*ET	Pick-Up Appointment Date and/or Time
MS2*SCAC*T2345*CV	Equipment Owner, Number, and Type
<b>LOOP ID - 0230</b>	
PRF*123456789	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*0555	Shipping to a Lowe's location
SE*12*000920001	Transaction Set Trailer
GE*1*92	Functional Group Trailer
IEA*1*000000092	Interchange Control Trailer

Note: For TL carriers, the ship from information should be transmitted in the 0100 loop, and the ship to information should be sent in the 0231 loop.

## 214 Business Examples

### Truckload Shipment Originating from Vendor to Lowe's Store or RDC- Pick-Up

ISA*00* *00* *02*SCAC *01*006097142 *971112 *0930*U*00400*000000093*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*19971112*0930*93*X*004010	Functional Group Control Header
ST*214*000930001	Transaction Set Header
B10*62421*00004232691M*SCAC	PRO number, Bill of Lading Number & SCAC
L11*32472*SI	Business Instructions and Reference Number
<b>LOOP ID - 0100</b>	
N1*SF*ABC Company*92*9999	Shipping from a Lowe's Vendor
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0200</b>	
LX*1	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*X3*NS***19971112*0825*ET	Arrived at Pick-Up Location
AT7*AF*NS***19971112*0915*ET	Carrier Departed Pick-Up Location with Shipment
MS2*SCAC*T2345*CV	Equipment Owner, Number, and Type
<b>LOOP ID - 0230</b>	
PRF*123456789	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*0555	Shipping to a Lowe's location
<b>LOOP ID - 0200</b>	
LX*2	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*AG*NS***19971112*1300*ET	Estimated Delivery
MS2*SCAC*T2345*CV	Equipment Owner, Number, and Type
<b>LOOP ID - 0230</b>	
PRF*123456789	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*0555	Shipping to a Lowe's location
SE*18*000930001	Transaction Set Trailer
GE*1*93	Functional Group Trailer
IEA*1*000000093	Interchange Control Trailer

Note: For TL carriers, the ship from information should be transmitted in the 0100 loop, and the ship to information should be sent in the 0231 loop.



## 214 Business Examples

### Truckload Shipment Originating from Vendor to Lowe's Store or RDC- Delivery

ISA*00* *00* *02*SCAC *01*006097142 *971112 *1523*U*00400*000000094*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*19971112*1523*94*X*004010	Functional Group Control Header
ST*214*000940001	Transaction Set Header
B10*62421*00004232691M*SCAC	PRO number, Bill of Lading Number & SCAC
L11*32472*SI	Business Instructions and Reference Number
<b>LOOP ID - 0100</b>	
N1*SF*ABC Company*92*9999	Shipping from a Lowe's Vendor
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0200</b>	
LX*2	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*X1*NS***19971112*1315*ET	Arrived at Delivery Location
AT7*D1*NS***19971112*1500*ET	Completed unloading at Delivery Location
MS2*SCAC*T2345*CV	Equipment Owner, Number, and Type
<b>LOOP ID - 0230</b>	
PRF*123456789	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*0555	Shipping to a Lowe's location
SE*13*000940001	Transaction Set Trailer
GE*1*94	Functional Group Trailer
IEA*1*000000094	Interchange Control Trailer

Note: For TL carriers, the ship from information should be transmitted in the 0100 loop, and the ship to information should be sent in the 0231 loop.

## 214 Business Examples

### Truckload Multiple Purchase orders to a Pool Location – Appointment

ISA*00* *00* *02* SCAC *01* 06097142 *971111 *0908*U*00400*000000084*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*19971111*0908*84*X*004010	Functional Group Control Header
ST*214*000840001	Transaction Set Header
B10*1356720341*00007174789M*SCAC	PRO number, Bill of Lading, & SCAC
L11*98745*SI	Business Instructions and Reference Number
<b>LOOP ID - 0100</b>	
N1*SF*ABC Company*92*99999	Shipping from a Lowe's Vendor
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0200</b>	
LX*1	Assigned Number
<b>LOOP ID - 0205</b>	
AT7***AA*NA*19971112*0900*ET	Pickup Appointment Date and/or Time
MS2*SCAC*832*CV	Equipment Owner, Number, and Type
<b>LOOP ID - 0230</b>	
PRF*123456789****300	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST*LTL Carrier Name*92*Terminal abbreviation	Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0230</b>	
PRF*123456788****301	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST*LTL Carrier Name*92*Terminal abbreviation	Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0230</b>	
PRF*123456787****302	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST*LTL Carrier Name*92*Terminal abbreviation	Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location



## 214 Business Examples

<b>LOOP ID - 0230</b>	
PRF*123456786****303	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST*LTL Carrier Name*92*Terminal abbreviation	Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0230</b>	
PRF*123456785****304	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST*LTL Carrier Name*92*Terminal abbreviation	Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
SE*30*000840001	Transaction Set Trailer
GE*1*84	Functional Group Trailer
IEA*1*000000084	Interchange Control Trailer

Note: For TL carriers, the ship from information should be transmitted in the 0100 loop, and the ship to information should be sent in the 0231 loop.

## 214 Business Examples

### Truckload Multiple Purchase orders to a Pool Location – Pick-Up

ISA*00* *00* *02* SCAC *01* 06097142 *971112 *1015*U*00400*000000085*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*19971112*1015*85*X*004010	Functional Group Control Header
ST*214*000850001	Transaction Set Header
B10*1356720341*00007174789M*SCAC	PRO number, Bill of Lading, & SCAC
L11*98745*SI	Business Instructions and Reference Number
<b>LOOP ID - 0100</b>	
N1*SF*ABC Company*92*99999	Shipping from a Lowe's Vendor
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0200</b>	
LX*1	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*X3*NS***19971112*0900*ET	Arrived at Pick-Up Location
AT7*AF*NS***19971112*1000*ET	Carrier Departed Pick-Up Location with Shipment
MS2*SCAC*832*CV	Equipment Owner, Number, and Type
<b>LOOP ID - 0230</b>	
PRF*123456789****300	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST*LTL Carrier Name*92*Terminal abbreviation	Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0230</b>	
PRF*123456788****301	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST*LTL Carrier Name*92*Terminal abbreviation	Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0230</b>	
PRF*123456787****302	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST*LTL Carrier Name*92*Terminal abbreviation	Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location

## 214 Business Examples

<b>LOOP ID - 0230</b>	
PRF*123456786****303	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST*LTL Carrier Name*92*Terminal abbreviation	Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0230</b>	
PRF*123456785****304	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST*LTL Carrier Name*92*Terminal abbreviation	Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0200</b>	
LX*2	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*AG*NS***19971112*1600*ET	Estimated Delivery
MS2*SCAC*832*CV	Equipment Owner, Number, and Type
<b>LOOP ID - 0230</b>	
PRF*123456789****300	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST*LTL Carrier Name*92*Terminal abbreviation	Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0230</b>	
PRF*123456788****301	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST*LTL Carrier Name*92*Terminal abbreviation	Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0230</b>	
PRF*123456787****302	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST*LTL Carrier Name*92*Terminal abbreviation	Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location

## 214 Business Examples

<b>LOOP ID - 0230</b>	
PRF*123456786****303	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST*LTL Carrier Name*92*Terminal abbreviation	Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0230</b>	
PRF*123456785****304	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST*LTL Carrier Name*92*Terminal abbreviation	Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
SE*54*000850001	Transaction Set Trailer
GE*1*85	Functional Group Trailer
IEA*1*000000085	Interchange Control Trailer

Note: For TL carriers, the ship from information should be transmitted in the 0100 loop, and the ship to information should be sent in the 0231 loop.

## 214 Business Examples

### Truckload Multiple Purchase orders to a Pool Location – Delivery

ISA*00* *00* *02* SCAC *01* 06097142 *971112 *1642*U*00400*000000086*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*19971112*1642*86*X*004010	Functional Group Control Header
ST*214*000860001	Transaction Set Header
B10*1356720341*00007174789M*SCAC	PRO number, Bill of Lading, & SCAC
L11*98745*SI	Business Instructions and Reference Number
<b>LOOP ID - 0100</b>	
N1*SF*ABC Company*92*99999	Shipping from a Lowe's Vendor
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0200</b>	
LX*2	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*J1*NS***19971112*1601*ET	Delivered to Connecting Line
MS2*SCAC*832*CV	Equipment Owner, Number, and Type
<b>LOOP ID - 0230</b>	
PRF*123456789****300	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST*LTL Carrier Name*92*Terminal abbreviation	Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0230</b>	
PRF*123456788****301	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST*LTL Carrier Name*92*Terminal abbreviation	Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0230</b>	
PRF*123456787****302	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST*LTL Carrier Name*92*Terminal abbreviation	Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location

## 214 Business Examples

<b>LOOP ID - 0230</b>	
PRF*123456786****303	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST*LTL Carrier Name*92*Terminal abbreviation	Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0230</b>	
PRF*123456785****304	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST*LTL Carrier Name*92*Terminal abbreviation	Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
SE*30*000860001	Transaction Set Trailer
GE*1*86	Functional Group Trailer
IEA*1*000000086	Interchange Control Trailer

Note: For TL carriers, the ship from information should be transmitted in the 0100 loop, and the ship to information should be sent in the 0231 loop.

## 214 Business Examples

### Truckload Vendor Multiple Purchase orders to a DC (VPXD) – Appointment

ISA*00* *00* *02* SCAC *01* 06097142 *971110 *0908*U*00400*000000052*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*19971110*0908*52*X*004010	Functional Group Control Header
ST*214*000520001	Transaction Set Header
B10*6256720341*00006244789M*SCAC	PRO number, Bill of Lading, & SCAC
L11*81245*SI	Business Instructions and Reference Number
<b>LOOP ID - 0100</b>	
N1*SF*ABC Company*92*99999	Shipping from a Lowe's Vendor
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0200</b>	
LX*1	Assigned Number
<b>LOOP ID - 0205</b>	
AT7***AA*NA*19971111*0900*ET	Pickup Appointment Date and/or Time
MS2*SCAC*8325*CV	Equipment Owner, Number, and Type
<b>LOOP ID - 0230</b>	
PRF*123412345****600	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*955	Shipping to Lowe's Distribution Center
<b>LOOP ID - 0230</b>	
PRF*123412346****601	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*955	Shipping to Lowe's Distribution Center
<b>LOOP ID - 0230</b>	
PRF*123412347****602	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*955	Shipping to Lowe's Distribution Center
SE*16*000520001	Transaction Set Trailer
GE*1*52	Functional Group Trailer
IEA*1*000000052	Interchange Control Trailer

Note: For TL carriers, the ship from information should be transmitted in the 0100 loop, and the ship to information should be sent in the 0231 loop.

## 214 Business Examples

### Truckload Vendor Multiple Purchase orders to a DC (VPXD) – Pick-Up

ISA*00* *00* *02* SCAC *01* 06097142 *971111 *0948*U*00400*000000053*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*19971111*0948*53*X*004010	Functional Group Control Header
ST*214*000530001	Transaction Set Header
B10*6256720341*00006244789M*SCAC	PRO number, Bill of Lading, & SCAC
L11*81245*SI	Business Instructions and Reference Number
<b>LOOP ID - 0100</b>	
N1*SF*ABC Company*92*99999	Shipping from a Lowe's Vendor
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0200</b>	
LX*1	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*X3*NS***19971111*0900*ET	Arrived at Pick-Up Location
AT7*AF*NS***19971111*0930*ET	Carrier Departed Pick-Up Location with Shipment
MS2*SCAC*8325*CV	Equipment Owner, Number, and Type
<b>LOOP ID - 0230</b>	
PRF*123412345****600	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*955	Shipping to Lowe's Distribution Center
<b>LOOP ID - 0230</b>	
PRF*123412346****601	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*955	Shipping to Lowe's Distribution Center
<b>LOOP ID - 0230</b>	
PRF*123412347****602	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*955	Shipping to Lowe's Distribution Center



## 214 Business Examples

<b>LOOP ID - 0200</b>	
LX*2	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*AG*NS***19971111*1430*ET	Estimated Delivery
MS2*SCAC*8325*CV	Equipment Owner, Number, and Type
<b>LOOP ID - 0230</b>	
PRF*123412345****600	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*955	Shipping to Lowe's Distribution Center
<b>LOOP ID - 0230</b>	
PRF*123412346****601	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*955	Shipping to Lowe's Distribution Center
<b>LOOP ID - 0230</b>	
PRF*123412347****602	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*955	Shipping to Lowe's Distribution Center
SE*26*000530001	Transaction Set Trailer
GE*1*53	Functional Group Trailer
IEA*1*000000053	Interchange Control Trailer

Note: For TL carriers, the ship from information should be transmitted in the 0100 loop, and the ship to information should be sent in the 0231 loop.

## 214 Business Examples

### Truckload Vendor Multiple Purchase orders to a DC (VPXD) – Delivery

ISA*00* *00* *02* SCAC *01* 06097142 *971111 *1503*U*00400*000000054*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*19971111*1503*54*X*004010	Functional Group Control Header
ST*214*000540001	Transaction Set Header
B10*6256720341*00006244789M*SCAC	PRO number, Bill of Lading, & SCAC
L11*81245*SI	Business Instructions and Reference Number
<b>LOOP ID - 0100</b>	
N1*SF*ABC Company*92*99999	Shipping from a Lowe's Vendor
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0200</b>	
LX*2	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*X1*NS***19971111*1430*ET	Arrived at Delivery Location
AT7*D1*NS***19971111*1457*ET	Completed Unloading at Delivery Location
MS2*SCAC*8325*CV	Equipment Owner, Number, and Type
<b>LOOP ID - 0230</b>	
PRF*123412345****600	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*955	Shipping to Lowe's Distribution Center
<b>LOOP ID - 0230</b>	
PRF*123412346****601	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*955	Shipping to Lowe's Distribution Center
<b>LOOP ID - 0230</b>	
PRF*123412347****602	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*955	Shipping to Lowe's Distribution Center
SE*17*000540001	Transaction Set Trailer
GE*1*54	Functional Group Trailer
IEA*1*000000054	Interchange Control Trailer

Note: For TL carriers, the ship from information should be transmitted in the 0100 loop, and the ship to information should be sent in the 0231 loop.



## 214 Business Examples

### Truckload Shipment with Multiple Stops

#### Truckload Shipment from ABC Company:

Ship from	Ship to	PO#	Stop
ABC Company – Stop 1	Store 266, Martinsburg, WV	123452463	Store 266 is stop 2
ABC Company – Stop 1	Store 101, Frederick, MD	123471576	Store 101 is stop 3
ABC Company – Stop 1	Store 227, Chambersburg, PA	123471612	Store 227 is stop 4

Each purchase order can be sent as a separate 214 or all of the purchase orders can be reported in the same 214 as the following examples demonstrate. However, each LX loop reports the activity surrounding one stop only. Only statuses for that particular stop can be reported in the same LX loop. For example, an X3 and AF can be reported in the same LX loop.

For TL carriers, the ship from information should be transmitted in the 0100 loop, and the ship to information should be sent in the 0231 loop.

## 214 Business Examples

### Truckload Shipment with Multiple Stops – Appointment

ISA*00* *00* *02* SCAC *01* 06097142 *971111 *0908*U*00400*000000020*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*19971111*0908*20*X*004010	Functional Group Control Header
ST*214*000200001	Transaction Set Header
B10*1356720341*00007174291M*SCAC	PRO number, Bill of Lading, & SCAC
L11*84245*SI	Business Instructions and Reference Number
<b>LOOP ID - 0100</b>	
N1*SF*ABC Company*92*9999	Shipping from a Lowe's Vendor
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0200</b>	
LX*1	Assigned Number
<b>LOOP ID - 0205</b>	
AT7***AA*NA*19971112*0900*ET	Pickup Appointment Date and/or Time
MS2*SCAC*5784*CV	Equipment Owner, Number, and Type
<b>LOOP ID - 0230</b>	
PRF*123452463	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*0266	Lowe's Store Number
<b>LOOP ID - 0230</b>	
PRF*123471576	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*0101	Lowe's Store Number
<b>LOOP ID - 0230</b>	
PRF*123471612	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*0227	Lowe's Store Number
SE*16*000200001	Transaction Set Trailer
GE*1*20	Functional Group Trailer
IEA*1*000000020	Interchange Control Trailer

Note: For TL carriers, the ship from information should be transmitted in the 0100 loop, and the ship to information should be sent in the 0231 loop.

## 214 Business Examples

### Truckload Shipment with Multiple Stops – Pick-Up

ISA*00* *00* *02* SCAC *01* 06097142 *971112 *1011*U*00400*000000021*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*19971112*1011*21*X*004010	Functional Group Control Header
ST*214*000210001	Transaction Set Header
B10*1356720341*00007174291M*SCAC	PRO number, Bill of Lading, & SCAC
L11*84245*SI	Business Instructions and Reference Number
<b>LOOP ID - 0100</b>	
N1*SF*ABC Company*92*9999	Shipping from a Lowe's Vendor
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0200</b>	
LX*1	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*X3*NS***19971112*0900*ET	Arrived at Pick-Up Location
AT7*AF*NS***19971112*0940*ET	Carrier Departed Pick-Up Location with Shipment
MS2*SCAC*5784*CV	Equipment Owner, Number, and Type
<b>LOOP ID - 0230</b>	
PRF*123452463	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*0266	Lowe's Store Number
<b>LOOP ID - 0230</b>	
PRF*123471576	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*0101	Lowe's Store Number
<b>LOOP ID - 0230</b>	
PRF*123471612	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*0227	Lowe's Store Number
<b>LOOP ID - 0200</b>	
LX*2	Assigned Number

## 214 Business Examples

<b>LOOP ID - 0205</b>	
AT7*AG*NS***19971112*1015*ET	Estimated Delivery
MS2*SCAC*5784*CV	Equipment Owner, Number, and Type
<b>LOOP ID - 0230</b>	
PRF*123452463	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*0266	Lowe's Store Number
SE*22*000210001	Transaction Set Trailer
GE*1*21	Functional Group Trailer
IEA*1*000000021	Interchange Control Trailer

Note: For TL carriers, the ship from information should be transmitted in the 0100 loop, and the ship to information should be sent in the 0231 loop.

## 214 Business Examples

### Truckload Shipment with Multiple Stops – Delivered First Stop

ISA*00* *00* *02*SCAC *01*006097142 *971112 *1100*U*00400*000000022*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*19971112*1100*22*X*004010	Functional Group Control Header
ST*214*000220001	Transaction Set Header
B10*1356720341*00007174291M *SCAC	PRO number, Bill of Lading, & SCAC
L11*84245*SI	Business Instructions and Reference Number
<b>LOOP ID - 0100</b>	
N1*SF*ABC Company*92*99999	Shipping from a Lowe's Vendor
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0200</b>	
LX*2	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*X1*NS***19971112*1020*ET	Arrived at Delivery Location
AT7*D1*NS***19971112*1050*ET	Completed Unloading at Delivery Location
MS2*SCAC*5784*CV	Equipment Owner, Number, and Type
<b>LOOP ID - 0230</b>	
PRF*123452463	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*0266	Lowe's Store Number
<b>LOOP ID - 0200</b>	
LX*3	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*AG*NS***19971112*1230*ET	Estimated Delivery
MS2*SCAC*5784*CV	Equipment Owner, Number, and Type
<b>LOOP ID - 0230</b>	
PRF*123471576	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*0101	Lowe's Store Number
SE*18*000220001	Transaction Set Trailer
GE*1*22	Functional Group Trailer
IEA*1*000000022	Interchange Control Trailer

Note: For TL carriers, the ship from information should be transmitted in the 0100 loop, and the ship to information should be sent in the 0231 loop.



## 214 Business Examples

### Truckload Shipment with Multiple Stops – Delivered Second Stop

ISA*00* *00* *02*SCAC *01*006097142 *971112 *1300*U*00400*000000023*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*19971112*1300*23*X*004010	Functional Group Control Header
ST*214*000230001	Transaction Set Header
B10*1356720341*00007174291M *SCAC	PRO number, Bill of Lading, & SCAC
L11*84245*SI	Business Instructions and Reference Number
<b>LOOP ID – 0100</b>	
N1*SF*ABC Company*92*99999	Shipping from a Lowe's Vendor
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID – 0200</b>	
LX*3	Assigned Number
<b>LOOP ID – 0205</b>	
AT7*X1*NS***19971112*1220*ET	Arrived at Delivery Location
AT7*D1*NS***19971112*1255*ET	Completed Unloading at Delivery Location
MS2*SCAC*5784*CV	Equipment Owner, Number, and Type
<b>LOOP ID – 0230</b>	
PRF*123471576	Lowe's Purchase Order Number
<b>LOOP ID – 0231</b>	
N1*ST**94*0101	Lowe's Store Number
<b>LOOP ID – 0200</b>	
LX*4	Assigned Number
<b>LOOP ID – 0205</b>	
AT7*AG*NS***19971112*1600*ET	Estimated Delivery
MS2*SCAC*5784*CV	Equipment Owner, Number, and Type
<b>LOOP ID – 0230</b>	
PRF*123471612	Lowe's Purchase Order Number
<b>LOOP ID – 0231</b>	
N1*ST**94*0227	Lowe's Store Number
SE*18*000230001	Transaction Set Trailer
GE*1*23	Functional Group Trailer
IEA*1*000000023	Interchange Control Trailer

Note: For TL carriers, the ship from information should be transmitted in the 0100 loop, and the ship to information should be sent in the 0231 loop.





## 214 Business Examples

### Truckload Shipment with Multiple Stops – Delivered Final Stop

ISA*00* *00* *02* SCAC *01*006097142 *971112 *1630*U*00400*000000024*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*19971112*1630*24*X*004010	Functional Group Control Header
ST*214*000240001	Transaction Set Header
B10*1356720341*00007174291M *SCAC	PRO number, Bill of Lading, & SCAC
L11*84245*SI	Business Instructions and Reference Number
<b>LOOP ID - 0100</b>	
N1*SF*ABC Company*92*99999	Shipping from a Lowe's Vendor
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0200</b>	
LX*4	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*X1*NS***19971112*1600*ET	Arrived at Delivery Location
AT7*D1*NS***19971112*1620*ET	Completed Unloading at Delivery Location
MS2*SCAC*5784*CV	Equipment Owner, Number, and Type
<b>LOOP ID - 0230</b>	
PRF*123471612	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*0227	Lowe's Store Number
SE*13*000240001	Transaction Set Trailer
GE*1*24	Functional Group Trailer
IEA*1*000000024	Interchange Control Trailer

Note: For TL carriers, the ship from information should be transmitted in the 0100 loop, and the ship to information should be sent in the 0231 loop.

## 214 Business Examples

### Truckload Shipment Originating from International Vendor to Lowe's Store or RDC- Appointment

ISA*00* *00* *02*SCAC *01*006097142 *971111 *0920*U*00400*000000092*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*19971111*0920*92*X*004010	Functional Group Control Header
ST*214*000920001	Transaction Set Header
B10*62421*00004232691M*SCAC	PRO number, Bill of Lading Number & SCAC
L11*32472*SI	Business Instructions and Reference Number
<b>LOOP ID - 0100</b>	
N1*SF*ABC Company*92*9999	Shipping from a Lowe's Vendor
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0200</b>	
LX*1	Assigned Number
<b>LOOP ID - 0205</b>	
AT7***AA*NA*19971112*0830*ET	Pick-Up Appointment Date and/or Time
MS2*SCAC*25549*CV\ L11*05638775*SN\ 	Equipment Owner, Number, and Type Seal Number Business Instructions and Reference Number
<b>LOOP ID - 0230</b>	
PRF*123456789	Lowe's Purchase Order Number
<b>LOOP ID - 0231</b>	
N1*ST**94*0555	Shipping to a Lowe's location
SE*13*000920001	Transaction Set Trailer
GE*1*92	Functional Group Trailer
IEA*1*000000092	Interchange Control Trailer

Note: If you did not receive a 204 automated tender, the L11 segment is optional.

If the N1-03 of the 214 contains a 94 and is therefore followed by a Lowe's location number in the N1-04, the N3 and N4 segments are not required on the 214.

If the ship from location is a non-Lowe's location, the address is mandatory.

## 214 Business Examples

### Truckload Shipment - X6 status (En-Route to Delivery) & Current Location (MS1).

ISA*00* *00* *02*SCAC *01*006097142 *971111 *1200*U*00400*000000092*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*19971111*1200*92*X*004010	Functional Group Control Header
ST*214*000920001	Transaction Set Header
B10*62421*00004232691M*SCAC	PRO number, Bill of Lading Number & SCAC
L11*32472*SI	Business Instructions and Reference Number
<b>LOOP ID - 0100</b>	
N1*SF*ABC Company*92*9999	Shipping from a Lowe's Vendor
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
<b>LOOP ID - 0200</b>	
LX*1	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*X6*NS***20130214*1036*ET	En-Route to Delivery Date and Time
MS1*City*State*Country Code	Current Location
MS2*SCAC*25549*CV\ L11*05638775*SN\ <b>LOOP ID - 0230</b>	Equipment Owner, Number, and Type
PRF*123456789	Seal Number Business Instructions and Reference Number
<b>LOOP ID - 0231</b>	
N1*ST**94*0555	Lowe's Purchase Order Number
SE*13*000920001	Shipping to a Lowe's location
GE*1*92	Transaction Set Trailer
IEA*1*000000092	Functional Group Trailer
	Interchange Control Trailer

Note: Lowes requires X6 status update (En-Route to Delivery) to be sent at 06:00 am EST and 12:00 pm EST for all loads.

