

214 Transportation Carrier Shipment Status Message - LTL

Lowe's 214 - LTL Shipment Status Message

Version: 4010

Author:	Lowe's Companies, Inc
Modified:	2/27/2013
Notes:	This 214 Implementation Guide should be used for ONLY LTL carriers.

Table of Contents

214	Transportation Carrier Shipment Status Message - LTL	1
ISA	Interchange Control Header	2
GS	Functional Group Header	4
ST	Transaction Set Header	5
B10	Beginning Segment for Transportation Carrier Shipment Status Message	6
K1	Remarks	7
N1	Name - Ship From	8
N3	Address Information	9
N4	Geographic Location	10
N1	Name - Ship To	11
N3	Address Information	12
N4	Geographic Location	13
MS3	Interline Information	14
LX	Assigned Number	15
AT7	Shipment Status Details	16
MS1	Equipment, Shipment, or Real Property Location	17
MS2	Equipment or Container Owner and Type	18
K1	Remarks - Terminal Alpha Code	19
AT8	Shipment Weight, Packaging and Quantity Data	20
PRF	Purchase Order Reference	21
SE	Transaction Set Trailer	22
GE	Functional Group Trailer	23
IEA	Interchange Control Trailer	24

214 Transportation Carrier Shipment Status Message - LTL

Functional Group=**QM**

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Transportation Carrier Shipment Status Message Transaction Set (214) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set can be used by a transportation carrier to provide shippers, consignees, and their agents with the status of shipments in terms of dates, times, locations, route, identifying numbers, and conveyance.

Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
001	ISA	Interchange Control Header	M	1			Mandatory
002	GS	Functional Group Header	M	1			Mandatory
010	ST	Transaction Set Header	M	1			Mandatory
020	B10	Beginning Segment for Transportation Carrier Shipment Status Message	M	1			Mandatory
040	K1	Remarks	O	10			Optional
LOOP ID - 0100					10		
050	N1	Name - Ship From	O	1			Mandatory
070	N3	Address Information	O	2			Optional
080	N4	Geographic Location	O	1			Optional
LOOP ID - 0100					10		
050	N1	Name - Ship To	O	1			Mandatory
070	N3	Address Information	O	2			Optional
080	N4	Geographic Location	O	1			Optional
120	MS3	Interline Information	O	12			Optional
LOOP ID - 0200					999999		
130	LX	Assigned Number	O	1			Mandatory
LOOP ID - 0205					10		
140	AT7	Shipment Status Details	O	1			Mandatory
143	MS1	Equipment, Shipment, or Real Property Location	O	1			Optional
146	MS2	Equipment or Container Owner and Type	O	1			Optional
170	K1	Remarks - Terminal Alpha Code	O	10			Optional
200	AT8	Shipment Weight, Packaging and Quantity Data	O	10			Optional
LOOP ID - 0230					999999		
320	PRF	Purchase Order Reference	O	1			Mandatory
610	SE	Transaction Set Trailer	M	1			Mandatory
611	GE	Functional Group Trailer	M	1			Mandatory
612	IEA	Interchange Control Trailer	M	1			Mandatory

ISA Interchange Control Header

Pos: 001	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 16

User Option (Usage): Mandatory**Purpose:** To start and identify an interchange of zero or more functional groups and interchange-related control segments**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ISA01	I01	Authorization Information Qualifier	M	ID	2/2	Mandatory
		CodeList Summary (Total Codes: 7, Included: 1)				
		Code Name				
		00 No Authorization Information Present (No Meaningful Information in I02)				
ISA02	I02	Authorization Information	M	AN	10/10	Mandatory
		Please note:				
		This element should be filled with spaces.				
ISA03	I03	Security Information Qualifier	M	ID	2/2	Mandatory
		CodeList Summary (Total Codes: 2, Included: 1)				
		Code Name				
		00 No Security Information Present (No Meaningful Information in I04)				
ISA04	I04	Security Information	M	AN	10/10	Mandatory
		Please note:				
		This element should be filled with spaces.				
ISA05	I05	Interchange ID Qualifier	M	ID	2/2	Mandatory
		CodeList Summary (Total Codes: 38, Included: 1)				
		Code Name				
		02 SCAC (Standard Carrier Alpha Code)				
ISA06	I06	Interchange Sender ID	M	AN	15/15	Mandatory
ISA07	I05	Interchange ID Qualifier	M	ID	2/2	Mandatory
		CodeList Summary (Total Codes: 38, Included: 1)				
		Code Name				
		01 Duns (Dun & Bradstreet)				
ISA08	I07	Interchange Receiver ID	M	AN	15/15	Mandatory
		Please note:				
		The receiver id for Lowe's for both test and production data is 006097142.				
ISA09	I08	Interchange Date	M	DT	6/6	Mandatory
ISA10	I09	Interchange Time	M	TM	4/4	Mandatory
ISA11	I10	Interchange Control Standards Identifier	M	ID	1/1	Mandatory
		All valid X12 codes are used. (Total Codes: 1)				
ISA12	I11	Interchange Control Version Number	M	ID	5/5	Mandatory
		CodeList Summary (Total Codes: 14, Included: 1)				
		Code Name				

Code Name

00400 Standard Issued as ANSI X12.5-1997

ISA13	I12	Interchange Control Number	M	N0	9/9	Mandatory
ISA14	I13	Acknowledgment Requested	M	ID	1/1	Mandatory

CodeList Summary (Total Codes: 2, Included: 1)

Code Name

0 No Acknowledgment Requested

ISA15	I14	Usage Indicator	M	ID	1/1	Mandatory
-------	-----	------------------------	---	----	-----	-----------

CodeList Summary (Total Codes: 3, Included: 2)

Code Name

P Production Data

T Test Data

ISA16	I15	Component Element Separator	M		1/1	Mandatory
-------	-----	------------------------------------	---	--	-----	-----------

GS Functional Group Header

Pos: 002	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 8

User Option (Usage): Mandatory

Purpose: To indicate the beginning of a functional group and to provide control information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
GS01	479	Functional Identifier Code	M	ID	2/2	Mandatory

CodeList Summary (Total Codes: 234, Included: 1)

Code Name

QM Transportation Carrier Shipment Status Message (214)

GS02	142	Application Sender's Code	M	AN	2/15	Mandatory
------	-----	----------------------------------	---	----	------	-----------

GS03	124	Application Receiver's Code	M	AN	2/15	Mandatory
------	-----	------------------------------------	---	----	------	-----------

Please note:

The receiver id for Lowe's for both test and production data is 006097142.

GS04	373	Date	M	DT	8/8	Mandatory
------	-----	-------------	---	----	-----	-----------

GS05	337	Time	M	TM	4/8	Mandatory
------	-----	-------------	---	----	-----	-----------

GS06	28	Group Control Number	M	N0	1/9	Mandatory
------	----	-----------------------------	---	----	-----	-----------

GS07	455	Responsible Agency Code	M	ID	1/2	Mandatory
------	-----	--------------------------------	---	----	-----	-----------

CodeList Summary (Total Codes: 2, Included: 1)

Code Name

X Accredited Standards Committee X12

GS08	480	Version / Release / Industry Identifier Code	M	AN	1/12	Mandatory
------	-----	---	---	----	------	-----------

CodeList Summary (Total Codes: 36, Included: 1)

Code Name

004010 Draft Standards Approved for Publication by ASC X12 Procedures Review Board through October 1997

ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Mandatory

Purpose: To indicate the start of a transaction set and to assign a control number

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Mandatory
CodeList Summary (Total Codes: 298, Included: 1)						
Code Name						
214 Transportation Carrier Shipment Status Message						
ST02	329	Transaction Set Control Number	M	AN	4/9	Mandatory

B10 Beginning Segment for Transportation Carrier Shipment Status Message

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 3

User Option (Usage): Mandatory

Purpose: To transmit identifying numbers and other basic data relating to the transaction set

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
B1001	127	Reference Identification	C	AN	1/30	Mandatory
		Please note: Carrier's Invoice Number (PRO)				
B1002	145	Shipment Identification Number	O	AN	1/30	Mandatory
		Please note: This field will contain the Master BOL. Send the BOL-03 value from the 211 EDI document. If you did not receive a 204 automated tender or a 211 EDI document, and do not have a BOL, then send "NONE" as the value.				
B1003	140	Standard Carrier Alpha Code	M	ID	2/4	Mandatory

K1 Remarks

Pos: 040	Max: 10
Heading - Optional	
Loop: N/A	Elements: 1

User Option (Usage): Optional

Purpose: To transmit information in a free-form format for comment or special instruction

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
K101	61	Free-Form Message	M	AN	1/30	Mandatory

N1 Name - Ship From

Pos: 050	Max: 1
Heading - Optional	
Loop: 0100	Elements: 4

User Option (Usage): Mandatory

Purpose: To identify a party by type of organization, name, and code

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Mandatory

CodeList Summary (Total Codes: 1312, Included: 1)

Code Name

SF Ship From

N102	93	Name	O	AN	1/60	Optional
------	----	-------------	---	----	------	----------

Please note: Send the N1-02 value from the 211 EDI document.

If you did not receive a 211 EDI document and if shipped from a non-Lowe's location, the name should appear. If it's a Lowe's location, this field is optional.

N103	66	Identification Code Qualifier	M	ID	1/2	Mandatory
------	----	--------------------------------------	---	----	-----	-----------

Please note:

Shipping or Delivery Party is a Lowe's Location
N1-03 of 214 = 94
N3 & N4 segments optional

Shipping or Delivery Party is not a Lowe's location
N1-03 of 214 = 92
N3 & N4 segments required

CodeList Summary (Total Codes: 215, Included: 2)

Code Name

92 Assigned by Buyer or Buyer's Agent

94 Code assigned by the organization that is the ultimate destination of the transaction set

N104	67	Identification Code	M	AN	2/80	Mandatory
------	----	----------------------------	---	----	------	-----------

Please note:

If the N1-03 is a 92, then the vendor number or LTL terminal abbreviation will appear in the N1-04.

If the N1-03 is a 94, then the Lowe's location number will appear in the N1-04. If you received a 211 EDI document, send the N1-04 value from the EDI 211.

N3 Address Information

Pos: 070	Max: 2
Heading - Optional	
Loop: 0100	Elements: 2

User Option (Usage): Optional

Purpose: To specify the location of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information	M	AN	1/55	Mandatory
N302	166	Address Information	O	AN	1/55	Optional

Please note:

If the N1-03 of the 214 contains a 94 and is therefore followed by a Lowe's location number in the N1-04, the N3 and N4 segments are not required on the 214.

For the N3-01, if the ship from location is a non-Lowe's location, the address is mandatory. If you received a 211 EDI document, send the N3-01 from the EDI 211.

For the N3-02, if the ship from location is a non-Lowe's location, the address is mandatory. If you received a 211 EDI document, send the N3-02 from the EDI 211.

N4 Geographic Location

Pos: 080	Max: 1
Heading - Optional	
Loop: 0100	Elements: 4

User Option (Usage): Optional

Purpose: To specify the geographic place of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	City Name	O	AN	2/30	Mandatory
N402	156	State or Province Code	O	ID	2/2	Mandatory
N403	116	Postal Code	O	ID	3/15	Mandatory
N404	26	Country Code	O	ID	2/3	Mandatory

Please note:

If the N1-03 of the 214 contains a 94 and is therefore followed by a Lowe's location number in the N1-04, the N3 and N4 segments are not required on the 214.

For the N4-01, if the ship from location is a non-Lowe's location, the City Name is mandatory. If you received a 211 EDI document, send the N4-01 from the EDI 211.

For the N4-02, if the ship from location is a non-Lowe's location, the State/Province is mandatory. If you received a 211 EDI document, send the N4-02 from the EDI 211.

For the N4-03, if the ship from location is a non-Lowe's location, the Postal Code is mandatory. If you received a 211 EDI document, send the N4-03 from the EDI 211.

For the N4-04, if the ship from location is a non-Lowe's location, the Country Code is mandatory. If you received a 211 EDI document, send the N4-04 from the EDI 211.

N1 Name - Ship To

Pos: 050	Max: 1
Heading - Optional	
Loop: 0100	Elements: 4

User Option (Usage): Mandatory

Purpose: To identify a party by type of organization, name, and code

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Mandatory

CodeList Summary (Total Codes: 1312, Included: 1)

Code Name

ST Ship To

N102	93	Name	O	AN	1/60	Optional
------	----	-------------	---	----	------	----------

Please note: Send the N1-02 value from the 211 EDI document.

If you did not receive a 211 EDI document and if shipped from a non-Lowe's location, the name should appear. If it's a Lowe's location, this field is optional.

N103	66	Identification Code Qualifier	M	ID	1/2	Mandatory
------	----	--------------------------------------	---	----	-----	-----------

Please note:

Shipping or Delivery Party is a Lowe's Location
N1-03 of 214 = 94
N3 & N4 segments optional

Shipping or Delivery Party is not a Lowe's location
N1-03 of 214 = 92
N3 & N4 segments required

CodeList Summary (Total Codes: 215, Included: 2)

Code Name

92 Assigned by Buyer or Buyer's Agent

94 Code assigned by the organization that is the ultimate destination of the transaction set

N104	67	Identification Code	M	AN	2/80	Mandatory
------	----	----------------------------	---	----	------	-----------

Please note: If the N1-03 is a 92, then the vendor number or LTL terminal abbreviation will appear in the N1-04.

If the N1-03 is a 94, then the Lowe's location number will appear in the N1-04. If you received a 211 EDI document, send the N1-04 value from the EDI 211.

N3 Address Information

Pos: 070	Max: 2
Heading - Optional	
Loop: 0100	Elements: 2

User Option (Usage): Optional

Purpose: To specify the location of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information	M	AN	1/55	Mandatory
N302	166	Address Information	O	AN	1/55	Optional

Please note:

If the N1-03 of the 214 contains a 94 and is therefore followed by a Lowe's location number in the N1-04, the N3 and N4 segments are not required on the 214.

For the N3-01, if the ship from location is a non-Lowe's location, the address is mandatory. If you received a 211 EDI document, send the N3-01 from the EDI 211.

For the N3-02, if the ship from location is a non-Lowe's location, the address is mandatory. If you received a 211 EDI document, send the N3-02 from the EDI 211.

N4 Geographic Location

Pos: 080	Max: 1
Heading - Optional	
Loop: 0100	Elements: 4

User Option (Usage): Optional

Purpose: To specify the geographic place of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	City Name	O	AN	2/30	Mandatory
N402	156	State or Province Code	O	ID	2/2	Mandatory
N403	116	Postal Code	O	ID	3/15	Mandatory
N404	26	Country Code	O	ID	2/3	Mandatory

Please note:

If the N1-03 of the 214 contains a 94 and is therefore followed by a Lowe's location number in the N1-04, the N3 and N4 segments are not required on the 214.

For the N4-01, if the ship from location is a non-Lowe's location, the City Name is mandatory. If you received a 211 EDI document, send the N4-01 from the EDI 211.

For the N4-02, if the ship from location is a non-Lowe's location, the State/Province is mandatory. If you received a 211 EDI document, send the N4-02 from the EDI 211.

For the N4-03, if the ship from location is a non-Lowe's location, the Postal Code is mandatory. If you received a 211 EDI document, send the N4-03 from the EDI 211.

For the N4-04, if the ship from location is a non-Lowe's location, the Country Code is mandatory. If you received a 211 EDI document, send the N4-04 from the EDI 211.

MS3 Interline Information

Pos: 120	Max: 12
Heading - Optional	
Loop: N/A	Elements: 5

User Option (Usage): Optional

Purpose: To identify the interline carrier and relevant data

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MS301	140	Standard Carrier Alpha Code	M	ID	2/4	Conditional
MS302	133	Routing Sequence Code	M	ID	1/2	Conditional

CodeList Summary (Total Codes: 23, Included: 3)

Code Name

- 1 1st Carrier after Origin Carrier
- 2 2nd Carrier after Origin Carrier
- 3 3rd Carrier after Origin Carrier

MS303	19	City Name	C	AN	2/30	Mandatory
-------	----	------------------	---	----	------	-----------

Please note: This field contains the city name where the handoff to or from the interline carrier took place.

MS304	91	Transportation Method/Type Code	O	ID	1/2	Mandatory
-------	----	--	---	----	-----	-----------

CodeList Summary (Total Codes: 71, Included: 4)

Code Name

- E Expedited Truck
- FL Motor (Flatbed)
- LT Less Than Trailer Load (LTL)
- VA Motor (Van)

MS305	156	State or Province Code	O	ID	2/2	Mandatory
-------	-----	-------------------------------	---	----	-----	-----------

Please note: This field contains the State/Province where the handoff to or from the interline carrier took place.

Please note:

If you use an interline carrier for pickup or delivery, the MS3 segment is required.

LX Assigned Number

Pos: 130	Max: 1
Heading - Optional	
Loop: 0200	Elements: 1

User Option (Usage): Mandatory

Purpose: To reference a line number in a transaction set

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LX01	554	Assigned Number	M	N0	1/6	Mandatory

Please note:

If you did not receive a 204 automated tender or an EDI 211, then just start numbering the LX segments with 1, and increase sequentially by 1, for each LX in the document.

AT7 Shipment Status Details

Pos: 140	Max: 1
Heading - Optional	
Loop: 0205	Elements: 7

User Option (Usage): Mandatory

Purpose: To specify the status of a shipment, the reason for that status, the date and time of the status and the date and time of any appointments scheduled.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
AT701	1650	Shipment Status Code	C	ID	2/2	Conditional
		All valid X12 codes are used. (Total Codes: 42)				
AT702	1651	Shipment Status or Appointment Reason Code	C	ID	2/2	Conditional
		All valid X12 codes are used. (Total Codes: 86)				
AT703	1652	Shipment Appointment Status Code	C	ID	2/2	Conditional
		All valid X12 codes are used. (Total Codes: 9)				
AT704	1651	Shipment Status or Appointment Reason Code	C	ID	2/2	Conditional
		All valid X12 codes are used. (Total Codes: 86)				
AT705	373	Date	C	DT	8/8	Mandatory
AT706	337	Time	C	TM	4/8	Mandatory
AT707	623	Time Code	O	ID	2/2	Mandatory

CodeList Summary (Total Codes: 51, Included: 7)

Code Name

AT	Alaska Time
CT	Central Time
ET	Eastern Time
HT	Hawaii-Aleutian Time
LT	Local Time
MT	Mountain Time
PT	Pacific Time

Please note:

AT7-01 and AT7-03 are mutually exclusive. If you need to communicate both a shipment status code and a shipment appointment status code, it must be done in two separate AT7 segments.

If the AT7-01 is communicated, then the AT7-02 must be communicated as well. By default, the AT7-02 should contain the NS (Normal Status), unless there is a delay in the shipment.

If the AT7-03 is communicated, the AT7-04 must be communicated as well. The AT7-04, by default, should contain the NA (Normal Appointment) unless the appointment date or time is changed. Only send LT, Local Time, when you can not report the time zone in Alaska Time, Central Time, Eastern Time, Hawaii-Aleutian Time, Mountain Time, or Pacific Time.

If you received an EDI 211, the first status required on the 214 is an XB status (Shipment Acknowledged) and the AT7-02 should contain the NS (Normal Status).

For a complete list of 214 codes that are required by Lowes, please view the LTL Best Practices/Common Errors and Shipment Status Message Codes document under 214 Transportation Carrier Shipment Status Message on www.loweslink.com.

MS1 Equipment, Shipment, or Real Property Location

Pos: 143	Max: 1
Heading - Optional	
Loop: 0205	Elements: 3

User Option (Usage): Optional

Purpose: To specify the location of a piece of equipment, a shipment, or real property in terms of city and state or longitude and latitude

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MS101	19	City Name	C	AN	2/30	Mandatory
MS102	156	State or Province Code	C	ID	2/2	Mandatory
MS103	26	Country Code	C	ID	2/3	Mandatory

Please note:

This segment is required when the X6 status (En- Route to Delivery) is used.

MS2 Equipment or Container Owner and Type

Pos: 146	Max: 1
Heading - Optional	
Loop: 0205	Elements: 3

User Option (Usage): Optional

Purpose: To specify the owner, the identification number assigned by that owner, and the type of equipment

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MS201	140	Standard Carrier Alpha Code	C	ID	2/4	Mandatory
		Please note: This field should contain the SCAC code of the carrier moving the load.				
MS202	207	Equipment Number	C	AN	1/10	Mandatory
		Please note: If you received a 211 EDI document, send the MS2-02 from the 211.				
MS203	40	Equipment Description Code	O	ID	2/2	Mandatory

Please note: This field should contain one of the following equipment types to represent the equipment used to move the shipment.

If you received a 211 EDI document, send the MS2-03 from the 211.

CodeList Summary (Total Codes: 134, Included: 4)

Code Name

- CN Container
- CV Closed Van
- FT Flat Bed Trailer
- TL Trailer (not otherwise specified)

Please note:

If equipment number is not available when certain events occur (pickup appointment), MS2 segment is not required.

If equipment number is available, MS2 segment is expected for every event after initially available.

K1 Remarks - Terminal Alpha Code

Pos: 170	Max: 10
Heading - Optional	
Loop: 0200	Elements: 1

User Option (Usage): Optional

Purpose: To transmit information in a free-form format for comment or special instruction

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
K101	61	Free-Form Message	M	AN	1/30	Mandatory

Please note:

Domestic Shipments:

Optional comments regarding shipment status delays.

Used to convey terminal location code when sending shipment status codes - X4, P1, and AJ.

AT8 Shipment Weight, Packaging and Quantity Data

Pos: 200	Max: 10
Heading - Optional	
Loop: 0200	Elements: 7

User Option (Usage): Optional

Purpose: To specify shipment details in terms of weight, and quantity of handling units. Lowe's requires these details at shipment (PRO #) level ONLY. These details should be sent as soon as the data is available.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
AT801	187	Weight Qualifier	C	ID	1/2	Conditional
CodeList Summary (Total Codes: 51, Included: 2)						
Code Name						
B Billed Weight						
G Gross Weight						
AT802	188	Weight Unit Code	C	ID	1/1	Conditional
CodeList Summary (Total Codes: 8, Included: 1)						
Code Name						
L Pounds						
AT803	81	Weight	C	R	1/10	Conditional
AT804	80	Lading Quantity	O	N0	1/7	Optional
Please note: Loose cartons (not on a pallet).						
AT805	80	Lading Quantity	O	N0	1/7	Optional
Please note: Number of shrink-wrapped pallets.						
AT806	184	Volume Unit Qualifier	C	ID	1/1	Conditional
CodeList Summary (Total Codes: 16, Included: 1)						
Code Name						
E Cubic Feet						
AT807	183	Volume	C	R	1/8	Conditional

Please note:

Please send the AT8 data elements if you have the information available **OR** if you have received an EDI 211.

PRF Purchase Order Reference

Pos: 320	Max: 1
Heading - Optional	
Loop: 0230	Elements: 2

User Option (Usage): Mandatory

Purpose: To provide reference to a specific purchase order

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PRF01	324	Purchase Order Number	M	AN	1/22	Mandatory

Please note:

This field should contain the Lowe's Purchase Order number.

If you received a 211 EDI document version 5010, send the OID-02 from the 211.

If you received a 211 EDI document version 4010, send the SPO-01 from the 211.

PRF05	350	Assigned Identification	O	AN	1/20	Optional
-------	-----	--------------------------------	---	----	------	----------

Please note: This field should contain the ultimate store number location corresponding to the PO number in the PRF-01 for cross-dock and pool locations only.

SE Transaction Set Trailer

Pos: 610	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Mandatory

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments	M	N0	1/10	Mandatory
SE02	329	Transaction Set Control Number	M	AN	4/9	Mandatory

Please note:

This control number must match the control number in ST 02.

GE Functional Group Trailer

Pos: 611	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Mandatory

Purpose: To indicate the end of a functional group and to provide control information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
GE01	97	Number of Transaction Sets Included	M	N0	1/6	Mandatory
GE02	28	Group Control Number	M	N0	1/9	Mandatory

Please note:

Must match the control number in the GS06 element

IEA Interchange Control Trailer

Pos: 612	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Mandatory

Purpose: To define the end of an interchange of zero or more functional groups and interchange-related control segments

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
IEA01	I16	Number of Included Functional Groups	M	N0	1/5	Mandatory
IEA02	I12	Interchange Control Number	M	N0	9/9	Mandatory

Please note:

This control number must match the control number in ISA 13.