



## **BUSINESS EXAMPLES**

**214 TRANSPORTATION CARRIER SHIPMENT STATUS MESSAGE  
LESS THAN TRUCKLOAD (LTL)**

# 214 LTL Business Examples

## TABLE OF CONTENTS

### LTL SINGLE Purchase Order

Business Example 1 – Shipment Acknowledged (XB) / Arrived at Pickup (X3) / Departed Pickup Location with Shipment (AF) / Pickup Appointment (AA) Interline Information-First after Origin (MS3)	PAGE 3
Business Example 2 - Estimated Delivery (AG)	PAGE 4
Business Example 3 - Terminal Arrival (X4) / Terminal Departure (P1) / Tendered for Delivery (AJ)	PAGE 5
Business Example 4 - Arrived at Delivery (X1) / Completed Unloading at Delivery (D1)	PAGE 6

### LTL MULTIPLE Purchase Orders

Business Example 5 – Shipment Acknowledged (XB) / Arrived at Pickup (X3) / Departed Pickup Location with Shipment (AF) / Pickup Appointment (AA)	PAGE 7
Business Example 6 - Estimated Delivery (AG) / Interline Information – Multiple Carriers (MS3)	PAGE 8
Business Example 7 - Terminal Arrival (X4) / Terminal Departure (P1) / Tendered for Delivery (AJ)	PAGE 9
Business Example 8 - Arrived at Delivery (X1) / Completed Unloading at Delivery (D1)	PAGE 10



## 214 LTL Business Examples

### Business Example 1 - LTL Single Purchase Order

This example is for reference with the following AT-7 Codes:

**Shipment Acknowledged (XB) / Arrived at Pickup (X3) / Departed Pickup Location with Shipment (AF) / Pickup Appointment (AA)**

ISA*00* *00* *02* SCAC *01*006097142 *971111 *1000*U*00400*000000040*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*20091111*1000*40*X*004010	Functional Group Control Header
ST*214*000400001	Transaction Set Header
B10*205367*1653320268 *SCAC	PRO number, Carrier Bill of Lading Number & SCAC
<b>LOOP ID - 0100</b>	
N1*Sf*ABC Company*92*99999	Shipper's Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
N1*ST**94*0992	Lowe's Location Number
MS3*SCAC*B*City*LT*State	Interline Information – First after Origin (if applicable)
<b>LOOP ID - 0200</b>	
LX*1	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*X3*NS***20091111*0900*ET	Arrived at Pick-Up Location
AT8*G*L*Weight*Lading Qty (non-palletized)*Lading Qty (palletized)*E*Volume	Shipment Weight, Packaging, and Quantity Data
<b>LOOP ID - 0230</b>	
PRF*123485621	Lowe's Purchase Order Number
SE*12*000400001	Transaction Set Trailer
GE*1*40	Functional Group Trailer
IEA*1*000000040	Interchange Control Trailer

**Note:**

The B10 segment is required to contain the Carrier Pro, Carrier BOL, and Carrier SCAC.

For LTL carriers, both the ship from and ship to information may be transmitted in the 0100 loop. The LX-01 should be numbered sequentially.



## 214 LTL Business Examples

### Business Example 2 - LTL Single Purchase Order

This example is for reference with the following AT-7 Code:

#### Estimated Delivery (AG)

ISA*00* *00* *02* SCAC *01*006097142 *971111 *1000*U*00400*000000040*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*20091111*1000*40*X*004010	Functional Group Control Header
ST*214*000400001	Transaction Set Header
B10*205367*1653320268 *SCAC	PRO number, Carrier Bill of Lading Number & SCAC
<b>LOOP ID - 0100</b>	
N1*Sf*ABC Company*92*99999	Shipper's Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
N1*ST**94*0992	Lowe's Location Number
<b>LOOP ID - 0200</b>	
LX*1	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*AG*NS***20091111*1100*ET	Estimated Delivery
MS2*SCAC*534087*CN\	SCAC, Equipment Number & Equipment Type
AT8*G*L*Weight*Lading Qty (non-palletized)*Lading Qty (palletized)*E*Volume	Shipment Weight, Packaging, and Quantity Data
<b>LOOP ID - 0230</b>	
PRF*123485621	Lowe's Purchase Order Number
SE*12*000400001	Transaction Set Trailer
GE*1*40	Functional Group Trailer
IEA*1*000000040	Interchange Control Trailer

**Note:**

The B10 segment is required to contain the Carrier Pro, Carrier BOL, and Carrier SCAC.

For LTL carriers, both the ship from and ship to information may be transmitted in the 0100 loop. The LX-01 should be numbered sequentially.



## 214 LTL Business Examples

### Business Example 3 - LTL Single Purchase Order

This example is for reference with the following AT-7 Codes:

**Terminal Arrival (X4) / Terminal Departure (P1) / Tendered for Delivery (AJ)**

ISA*00* *00* *02* SCAC *01*006097142 *971111 *1000*U*00400*000000040*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*20091111*1000*40*X*004010	Functional Group Control Header
ST*214*000400001	Transaction Set Header
B10*205367*1653320268 *SCAC	PRO number, Carrier Bill of Lading Number & SCAC
<b>LOOP ID - 0100</b>	
N1*SF*ABC Company*92*99999	Shipper's Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
N1*ST**94*0992	Lowe's Location Number
<b>LOOP ID - 0200</b>	
LX*1	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*X4*NS***20091111*1100*ET	Arrived at Terminal Location
MS2*SCAC*534087*CN\	SCAC, Equipment Number & Equipment Type
<b>LOOP ID - 0200</b>	
K1*DFW\	Terminal Alpha Code
AT8*G*L*Weight*Lading Qty (non-palletized)*Lading Qty (palletized)*E*Volume	Shipment Weight, Packaging, and Quantity Data
<b>LOOP ID - 0230</b>	
PRF*123485621	Lowe's Purchase Order Number
SE*13*000400001	Transaction Set Trailer
GE*1*40	Functional Group Trailer
IEA*1*000000040	Interchange Control Trailer

**Note:**

The B10 segment is required to contain the Carrier Pro, Carrier BOL, and Carrier SCAC.

For LTL carriers, both the ship from and ship to information may be transmitted in the 0100 loop. The LX-01 should be numbered sequentially.

The K1 – Terminal Alpha Code - must be sent as the exact 3 digit code (letters or numbers) with no additional spaces or characters.

Please see the K1 example above.



## 214 LTL Business Examples

### Business Example 4 - LTL Single Purchase Order

This example is for reference with the following AT-7 Codes:

**Arrived at Delivery (X1) / Completed Unloading at Delivery (D1)**

ISA*00* *00* *02* SCAC *01*006097142 *971111 *1500*U*00400*000000041*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*20091111*1500*41*X*004010	Functional Group Control Header
ST*214*000410001	Transaction Set Header
B10*205367*NONE*SCAC	PRO number, Bill of Lading Number & SCAC
<b>LOOP ID - 0100</b>	
N1*SF*ABC Company*92*99999	Shipper's Name
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
N1*ST**94*0992	Lowe's Location Number
<b>LOOP ID - 0200</b>	
LX*1	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*X1*NS***20091111*1402*ET	Arrived at Delivery Location
MS2*SCAC*534087*CN\	SCAC, Equipment Number & Equipment Type
AT8*G*L*Weight*Lading Qty (non-palletized)*Lading Qty (palletized)*E*Volume	Shipment Weight, Packaging, and Quantity Data
<b>LOOP ID - 0230</b>	
PRF*123485621	Lowe's Purchase Order Number
SE*12*000410001	Transaction Set Trailer
GE*1*41	Functional Group Trailer
IEA*1*000000041	Interchange Control Trailer

Note:

The B10 segment is required to contain the Carrier Pro, Carrier BOL, and Carrier SCAC.

For LTL carriers, both the ship from and ship to information may be transmitted in the 0100 loop. The LX-01 should be numbered sequentially.



## 214 LTL Business Examples

### Business Example 5 - LTL Multiple Purchase Orders

This example is for reference with the following AT-7 Codes:

**Shipment Acknowledged (XB) / Arrived at Pickup (X3) / Departed Pickup Location with Shipment (AF) / Pickup Appointment (AA)**

ISA*00* *00* *02* SCAC *01* 06097142 *971111 *0908*U*00400*000000062*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*20091111*0908*62*X*004010	Functional Group Control Header
ST*214*000620001	Transaction Set Header
B10*8915720341*NONE*SCAC	PRO number, Bill of Lading, & SCAC
<b>LOOP ID - 0100</b>	
N1*Sf*ABC Company*92*9999	Shipping from a Lowe's Vendor
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
N1*ST**94*960	Pool Location
MS3*SCAC*B*City*LT*State	Interline Information – First after Origin (if applicable)
<b>LOOP ID - 0200</b>	
LX*1	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*X3*NS***20091111*0900*ET	Arrived at Pick-Up Location
AT8*G*L*Weight*Lading Qty (non-palletized)*Lading Qty (palletized)*E*Volume	Shipment Weight, Packaging, and Quantity Data
<b>LOOP ID - 0230</b>	
PRF*123412345****200	Lowe's Purchase Order Number
PRF*123412346****201	Lowe's Purchase Order Number
PRF*123412347****202	Lowe's Purchase Order Number
SE*14*000620001	Transaction Set Trailer
GE*1*62	Functional Group Trailer
IEA*1*000000062	Interchange Control Trailer

**Note:**

The B10 segment is required to contain the Carrier Pro, Carrier BOL, and Carrier SCAC.

For LTL carriers, both the ship from and ship to information may be transmitted in the 0100 loop. The LX-01 should be numbered sequentially.



## 214 LTL Business Examples

### Business Example 6 - LTL Multiple Purchase Orders

This example is for reference with the following AT-7 Code:

#### Estimated Delivery (AG)

ISA*00* *00* *02* SCAC *01* 06097142 *971111 *0908*U*00400*000000062*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*20091111*0908*62*X*004010	Functional Group Control Header
ST*214*000620001	Transaction Set Header
B10*8915720341*NONE*SCAC	PRO number, Bill of Lading, & SCAC
<b>LOOP ID - 0100</b>	
N1*Sf*ABC Company*92*9999	Shipping from a Lowe's Vendor
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
N1*ST**94*960	Pool Location
MS3*SCAC*B*City*LT*State	Interline Information – First after Origin (if applicable)
MS3*SCAC*1*City*LT*State	Interline Information – Second after Origin (if applicable)
MS3*SCAC*2*City*LT*State	Interline Information – Third after Origin (if applicable)
<b>LOOP ID - 0200</b>	
LX*1	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*AG*NS***20091111*0900*ET	Estimated Delivery
MS2*SCAC*534087*CN\	SCAC, Equipment Number & Equipment Type
AT8*G*L*Weight*Lading Qty (non-palletized)*Lading Qty (palletized)*E*Volume	Shipment Weight, Packaging, and Quantity Data
<b>LOOP ID - 0230</b>	
PRF*123412345****200	Lowe's Purchase Order Number
PRF*123412346****201	Lowe's Purchase Order Number
PRF*123412347****202	Lowe's Purchase Order Number
SE*17*000620001	Transaction Set Trailer
GE*1*62	Functional Group Trailer
IEA*1*000000062	Interchange Control Trailer

Note:

The B10 segment is required to contain the Carrier Pro, Carrier BOL, and Carrier SCAC.

For LTL carriers, both the ship from and ship to information may be transmitted in the 0100 loop. The LX-01 should be numbered sequentially.





## 214 LTL Business Examples

### Business Example 7 - LTL Multiple Purchase Orders

This example is for reference with the following AT-7 Codes:

**Terminal Arrival (X4) / Terminal Departure (P1) / Tendered for Delivery (AJ)**

ISA*00* *00* *02* SCAC *01* 06097142 *971111 *0908*U*00400*000000062*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*20091111*0908*62*X*004010	Functional Group Control Header
ST*214*000620001	Transaction Set Header
B10*8915720341*1653320268 *SCAC	PRO number, Bill of Lading, & SCAC
<b>LOOP ID - 0100</b>	
N1*SF*ABC Company*92*9999	Shipping from a Lowe's Vendor
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
N1*ST**94*960	Pool Location
<b>LOOP ID - 0200</b>	
LX*1	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*X4*NS***20091111*0900*ET	Arrived at Terminal Location
MS2*SCAC*534087*CN\	SCAC, Equipment Number & Equipment Type
<b>LOOP ID - 0200</b>	
K1*DFW\	Terminal Alpha Code
AT8*G*L*Weight*Lading Qty (non-palletized)*Lading Qty (palletized)*E*Volume	Shipment Weight, Packaging, and Quantity Data
<b>LOOP ID - 0230</b>	
PRF*123412345****200	Lowe's Purchase Order Number
PRF*123412346****201	Lowe's Purchase Order Number
PRF*123412347****202	Lowe's Purchase Order Number
SE*15*000620001	Transaction Set Trailer
GE*1*62	Functional Group Trailer
IEA*1*000000062	Interchange Control Trailer

Note:

The B10 segment is required to contain the Carrier Pro, Carrier BOL, and Carrier SCAC.

For LTL carriers, both the ship from and ship to information may be transmitted in the 0100 loop. The LX-01 should be numbered sequentially.

The K1 – Terminal Alpha Code - must be sent as the exact 3 digit code (letters or numbers) with no additional spaces or characters.



## 214 LTL Business Examples

Please see the K1 example above.

### Business Example 8 - LTL Multiple Purchase Orders

This example is for reference with the following AT-7 Codes:

#### Arrived at Delivery (X1) / Completed Unloading at Delivery (D1)

ISA*00* *00* *02* SCAC *01* 06097142 *971111 *0908*U*00400*000000063*0*T>	Interchange Control Header
GS*QM*SCAC*006097142*20091111*0908*63*X*004010	Functional Group Control Header
ST*214*000630001	Transaction Set Header
B10*8915720341*NONE*SCAC	PRO number, Bill of Lading, & SCAC
<b>LOOP ID - 0100</b>	
N1*Sf*ABC Company*92*9999	Shipping from a Lowe's Vendor
N3*Street Address	Address Information
N4*City*State*Zip*Country Code	Geographic Location
N1*ST**94*960	Pool Location
<b>LOOP ID - 0200</b>	
LX*1	Assigned Number
<b>LOOP ID - 0205</b>	
AT7*X1*NS***20091111*0900*ET	Arrived at Delivery Location
MS2*SCAC*534087*CN\	SCAC, Equipment Number & Equipment Type
AT8*G*L*Weight*Lading Qty (non-palletized)*Lading Qty (palletized)*E*Volume	Shipment Weight, Packaging, and Quantity Data
<b>LOOP ID - 0230</b>	
PRF*123412345****200	Lowe's Purchase Order Number
PRF*123412346****201	Lowe's Purchase Order Number
PRF*123412347****202	Lowe's Purchase Order Number
SE*14*000630001	Transaction Set Trailer
GE*1*63	Functional Group Trailer
IEA*1*000000063	Interchange Control Trailer

Note:

The B10 segment is required to contain the Carrier Pro, Carrier BOL, and Carrier SCAC.

For LTL carriers, both the ship from and ship to information may be transmitted in the 0100 loop. The LX-01 should be numbered sequentially.

